

In this lecture, we will look at how different electronic modules communicate with each other. We will consider the following topics:

- Links between Digital and Analogue
- Serial vs Parallel links
- Flow control
- Wired serial links:
 - UART
 - SPI
 - I2C
- Wireless links:
 - Bluetooth and BLE
 - Radio Frequency Identification (RFID)



The real world problem consists of taking a continuous signal (analog) and applying decisions by means of digital signal processing to the signal. DSP allows for efficient and cost effective means of allocating information (bandwidth, capacity) correctly.

The basic measurement and control loop measures a process variable and determines what control action needs to be performed based on the processor's control algorithm. The measurement path takes an analogue variable (such as pressure, temperature etc), signal conditions it in the analogue domain before applying it to an analog-to-digital converter (ADC). The ADC provides a digital output corresponding to the value of the analogue input signal relative to the reference voltage. The resolution of the converter determines the number of bits (n) in the digital representation.

On the control side, the digital word from the processor is converted to an analogue value using a digital-to-analog converter (DAC). The number of digital bits which are convereted to an analogue value is determined by the resolution of the DAC.



The sampling process is the representation of a continuous time domain signal at discrete and uniform time intervals. The maximum amount of information content, or bandwidth, is determined by the Nyquist sampling theory which states that, in order to preserves the information of the signal being sampled, one must sample the signal at a rate is that 2X or higher than the maximum frequency component in the signal. What this implies is that all analogue signals MUST be first filtered to remove all components above ½ of the sampling frequency (known as the Nyquist frequency). If any signal components above the Nyquist frequency remain, the original continuous time signal will be corrupted when converted into discrete time – a phenomenon known as aliasing. We will consider this in details in your second year course as part of the EE topics.

The quantization process is the representation of the magnitude, in digital form, of the continuous analogue signal. The number of bits in the quantization process determines the number of discrete levels and, therefore, it determines the smallest resolvable signal. Note that in the diagram above, an analoueg output in the range can only exist at the discrete levels shown.



A **digital-to-analog converter** produces an analogue output which corresponds to the value of the digital input signal. The analogue output value corresponds to the relative value of the digital input signal with respect to a fixed reference value V_{REF} and, in its most basic form, is determined by the relationship above.

A key element of the transformation from the digital domain to the analogue domain is that a series of finite discrete values is now represented by an analogue variable.

Resolution in various forms

- Resolution of a ADC or DAC is dependent on the number of input data bits.
- This defines the quantization step, which is expressed as LSB voltage (least significant bit).
- Resolution can also be expressed as %, parts per million (ppm), or dB relative to full scale (FS).

Resolution, Bits (n) LSB, mV (10V FS) % Full Scale ppm Full Scale dB Full Scale 8 256 39.1 0.391 3906 -48.0 10 1024 9.77 0.098 977 -60.0 12 4096 2.44 0.024 244 -72.0 14 16,384 0.610 0.006 61 -84.0
Bits (n) 2 ⁿ (10V FS) Full Scale Full Scale
8 256 39.1 0.391 3906 -48.0 10 1024 9.77 0.098 977 -60.0 12 4096 2.44 0.024 244 -72.0 14 16,384 0.610 0.006 61 -84.0
10 1024 9.77 0.098 977 -60.0 12 4096 2.44 0.024 244 -72.0 14 16,384 0.610 0.006 61 -84.0
12 4096 2.44 0.024 244 -72.0 14 16,384 0.610 0.006 61 -84.0
14 16,384 0.610 0.006 61 -84.0
16 65,536 0.153 0.0015 15 -96.0
18 262,164 0.038 0.00038 3.8 -108.0
20 1,048,576 0.0095 0.00010 1.0 -120.0

This table shows the relationship between the analogue output range, or full scale, and the LSB size for different resolutions. The full scale in this case is 10V.

LSB size can be expressed in voltage, percentage of full scale, parts per million (ppm) of full scale or ratio to full scale in dB.

For example, if you need a resolution of $\pm 5\%$ (i.e. step of 10%), and this corresponds to 1 LSB of the DAC. From the table, it is clear that a 10-bit DAC should be sufficient.



The simplest DAC circuit is that of a **voltage or potential divider**. Here all resistors are identical and V_{REF} is simply divided into N equal steps. This architecture is also known as **a String DAC** (having a string of identical resistors). The complexity grows exponentially with number of input data bits. We call this of Order(2ⁿ).

This is also the architecture used in digital potentiometers. In an ideal potentiometer, all 0s and all 1s codes should connect the variable tap to one or other end of the string of resistors. So a digital potentiometer, while basically the same as a general purpose string DAC, has one fewer resistor and neither end of the string has any other internal connection.

An improved version of the DAC architecture is one that divides the voltage into coarse segment of equal voltage steps, and then each coarse segment into fine steps of equal size as shown here. This is known as a Segment DAC, and its complexity is Order $(2^{n/2})$.

Finally, if you use the circuit you tested in Lab 2, Task 3, you will discover that by connect a network with R and 2R resistors as shown above, you divide an input voltage (or current) by a factor of 2 each time. This is known as the **R-2R Ladder DAC**. It is highly efficient in resistor count, and has a complexity that increases linearly with the number of input data bits. We say that the complexity is of Order(n), where n is the number of bits.



An analogue-to-digital converter produces a digital output which corresponds to the value of the analogue input signal. The digital output value corresponds to the relative value of the analogue input signal with respect to a fixed reference voltage and, in its most basic form, is determined by the relationship above.

A key element of the transformation from the analogue domain to the digital domain is that an analogue variable of infinite resolution is now represented by finite discrete values. The analogue input is quantized into 2^N discrete levels, where N is the resolution of the converter. This results in a quantization error or uncertainity from the A/D conversion process.

The quantization and sampling of the input signal thus impose fundamental limitations on the A/D conversion process. However, these limitations are predictable. Let's look first at the quantization process.

The A/D conversion process also changes a continuous analogue signal in the time domain to a digital signal which is represented by values which occur at discrete intervals. The continuous analogue signal is sampled and converted to a digital word at these discrete time intervals.

Video on DAC converter				
		Make: makezine.com		
PYKC 14 June 2018	DE 1.3 - Electronics	Lecture 16 Slide 8		

This is a Youtube video about DAC:

https://www.youtube.com/watch?v=b-vUg7h0lpE





Transferring data between two devices or modules can be done in two main methods: parallel and serial. In parallel transmission, a data word (which has n bits) are send together all at once. The advantage is speed of transfer. Example of this is the memory interface with microprocessor. The disadvantage is that you need n wires, which could be costly. For example, pins on the packaging of a chip is expensive.

The alternative is serial communication, where data is sent one bit at a time.



In serial transmission, one bit follows another, so we need only one communicating channel (or wire) to transmit data between 2 communicating modules. The advantage of serial transmission is the reduction of interconnect resources, but it takes N times longer to send the information, where N is the number of bits of data.

Serial transmission occurs in one of 2 ways: asynchronous or synchronous.

In **asynchronous link**, the timing of a signal is unimportant. Information is received and translated by agreed-upon patterns. Patterns are based on grouping the bit stream into bytes. The sending system handles each group independently, relaying it to the link whenever ready, without regard to a clock signal.

To alert the receiver to the arrival of a new group, an extra bit called **start bit** is added to the beginning of each byte. To let the receiver know that the byte is finished, one or more additional bits called **stop bits** are appended to the end of the byte.

This mechanism is called **asynchronous** because at the byte level, sender and receiver do not have to be synchronized. But within each byte, the receiver must still be synchronized with the incoming bit stream.

The bit rate (i.e. bits per second) in a UART is also known as baud rate. For example, in the Lab, we used 9600 bauds per second. This is equivalent to sending around 960 bytes per second, each having at least 10 bits (8 bits data, 1 start bit and 1 stop bit).



We have already examined the UART data format in the Lab. I will not repeat it here. Instead I want to point out that physically, an UART has two other signals, RTS and CTS, which are both active (i.e. true = low voltage level). They are used to signal to the other device when it is ready to receive data. So, if UART_1 RTS signal is high, UART_2 will not send any data. When RTS is low (active), UART_2 will start sending data. In this way the flow of data is being controlled. Hence this is known as **flow control** between the two UARTs.

In the case of the Pyboard, we did not use flow control because we know that both the Pyboard and the BlueFruit module are working so fast that they do not need any flow control mechanism to be implement. That is why the CTS signal is connect to ground permanently to tell the BlueFruit board that it is "clear to send" the next ASCII character.





Asynchronous serial transmission is only suitable for low data rate link between modules. For higher speed communication between two modules on the same chip or on the same PCB, a synchronous serial link is much better. The transfer of data in a synchronous serial link requires the use of a clock signal from one module to another module. The module that produces the clock signal is known as the **master** device.

I2C and SPI synchronous serial links

- I2C stands for Inter-Integrated Circuit serial protocol. Also known as I²C or Two Wire Interface (TWI).
- Originally from Philips Semiconductor, and it is now an industrial standard.
- Allows up to 127 devices to be connected, each having a unique address.
- Up to 400kHz data rate.
- SPI stands for Serial Peripheral Interface Bus.
- Both of these are common synchronous serial links for connecting to other chips in the systems, such as ADC, DAC and other sensors.



Two of the most common synchronous serial links used in industry are: I2C (Inter-Integrated Circuit) and SPI (serial peripheral interface).

I2C was proposed by Philips Semiconductor and uses only two wires: SCL for the clock signal and SDA for the data signal. The data wire is bi-directional (i.e. data could be programmed to go in or out of a device). The protocol allows up to 127 devices to be connected on the I2C interface bus as shown above.

The SPI interface also has a clock signal SCLK. However this standard uses separate serial data input and serial data output pins, thus allowing simultaneous communication in both directions. It further requires the master to produce a separate chip select (CS) signals for each SPI slave device.

SPI has higher data rate than I2C and in general is easier to use. I2C is more efficient on pins because it uses only two per device.

The Pyboard provides 2 of each through its ST Micro controller chip.

Comparison of the three serial links

- The Pyboard has 4 UARTs, 2 each of SPI and I2C links.
- Micropython provides library functions to drive these interfaces.
- We will only use UART on this course.

	Synro	Asynchronous		
	SPI	I2C	UART	
Max Bit Rate	10Mbit/s	1Mbit/s	500kbit/s	
Max devices	Limited by pins	127 devices	point to point	
No. of pins	3 + n	2	2	
	Simple, low cost	Low pin count; allows	Long distance, good noise	
Pros	high speed	multiple masters	tolerance	
	Single master, short			
Cons	distance	Slow, short distance	Only point-to-point, slow	
			Connect computers to	
	Connect to	Share bus connection with	terminals and other slowe	
Applications	peripherals on PCB	periperals on same PCB	systems	
	•			
(C. 14 lune 2019			Laster to other	

This table summaries the key characteristics of the three serial links found on the Pyboard. For our project, we only use the UART to link to the Bluetooth module.



So far we have only looked at wired links. Modern electronic equipment often communicate with each other through wireless links. Among wireless links, Bluetooth is one of the most popular. You will find Bluetooth capability on almost all smart phones, tablets and laptops.

I will not go into details about Bluetooth protocol because it is actually very complex. However, it is worth you to know that regular Bluetooth has a maximum data rate of around 1Mbits/sec. The range is around 10m, which is much shorter than, say, wifi and cellular data network.

Bluetooth standard is defined in various level of abstraction, from the level (also called layer) concerning detail signal characteristic, known as the physical layer (PHY) to the software interface that a user uses (known as application layer). Together these different layers from hardware to software is known as the **Bluetooth Stack**.

If you want to use Bluetooth on the Pyboard via the BlueFruit module, the bluetooth stack is already implemented on the module itself, making its use very simple. Similarly using the Bluetooth link on your phone is also made simple by the manufacturer such as Apple or Android, through their implementations of the Bluetooth Stack. So all you see is the application level interface with the Bluetooth link.



This video can be found on:

https://www.youtube.com/watch?v=ItV08vGqACM





A Radio-Frequency IDentification system has three parts:

- A scanning antenna
- A transceiver with a decoder to interpret the data
- A transponder the RFID tag that has been programmed with information.

The scanning antenna puts out radio-frequency signals in a relatively short range of a few feet. The RF signals provides a means of communicating with the transponder (the RFID tag) AND It provides the RFID tag with the energy to communicate. (This is only true for passive RFID tags such as your Oyster card or wireless credit card.)

Passive RFID tags do not need to contain batteries, and can therefore remain usable for very long periods of time.

The scanning antennas can be fixed or mobile. They can take on many forms; for example, you could build them into a door frame to accept data from persons or objects passing through.

When an RFID tag passes through the field of the scanning antenna, it detects the activation radio frequency signal (RF) from the antenna. This "wakes up" the RFID chip, and it transmits the information on its microchip to be picked up by the scanning antenna.

RFID T	ags t	ypes		
 Passive Have no internal power supply Electrical current induced in anter integrated circuit in tag to power u Very Small, Limited Range, Unline 	nna by th up and tra nited Life	e incoming s ansmit respo	ignal provide: nse	s power for
 Active Have their own internal power source Many operate at fixed intervals Also called beacons (broadcast own signal) Large (coin), Much larger memories, Longer range 		Four ma	in frequen	cies:
		Frequency	Distance	Example Application
	LF	125khz	Few cm	Auto- Immobilizer
	HF	13.56Mhz	1m	Building Acces
	UHF	900Mhz	~7m	Supply Chain
	µwave	2.4Ghz	10m	Traffic Toll
KC 14 June 2018 DE 1.3 -	Electronics			Lecture 16 Slide 18

A RFID tag may be of one of two types. Active RFID tags have their own power source; the advantage of these tags is that the reader can be much farther away and still get the signal. Even though some of these devices are built to have up to a 10 year life span, they have limited life spans. However, the most common are the passive RDIF tags which do not require batteries, and can be much smaller and have a virtually unlimited life span.

RFID tags are much better than bar codes and are replacing them. Unlike bar codes, a tag need not be on the surface of the object (and is therefore not subject to wear). The read time is typically less than 100 milliseconds. Large numbers of tags can be read at once rather than item by item.



This video can be found on:

https://www.youtube.com/watch?v=VpEVkiMU18s

